

From: Richard Rupert/R3/USEPA/US
Sent: 4/12/2012 6:50:23 PM

To: "Karl Markiewicz" <Markiewicz.Karl@epamail.epa.gov>
CC: "Fetzer, Richard" <Fetzer.Richard@epamail.epa.gov>; "Newhart, Gary" <Newhart.Gary@epamail.epa.gov>;
"Chase, Kelley" <Chase.Kelley@epamail.epa.gov>; "Helson, Robert"
<Helson.Robert@epamail.epa.gov>; Lora Werner
Subject: Re: Single home methane off gassing system

I don't know if DEP approved them or even if there is a requirement. The units appear to have been custom built. In some cases they have stripper tanks (as Bob described) in series.

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov
"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell

From: Karl Markiewicz/R3/USEPA/US
To: "Fetzer, Richard" <Fetzer.Richard@epamail.epa.gov>, "Rupert, Richard" <Rupert.Richard@epamail.epa.gov>, "Newhart, Gary" <Newhart.Gary@epamail.epa.gov>, "Chase, Kelley" <Chase.Kelley@epamail.epa.gov>
Cc: "Helson, Robert" <Helson.Robert@epamail.epa.gov>, Lora Werner/R3/USEPA/US@EPA
Date: 04/11/2012 03:21 PM
Subject: Single home methane off gassing system

All,
Do any of you have a web link or fact sheet for the methane stripping systems being used in Dimock?
Were they approved via DEP?
Bob described a "shower head" type diffuser w/in grey plastic holding tank in pump house (off gas to atm)
Thanks
Karl
Karl V. Markiewicz PhD
Senior Toxicologist
DHHS/CDC/ATSDR
kvm4@cdc.gov